How to customized ring tone for AT-620?

The AT-620 supports maximum five self-make ring tones. Ring tone format can be .au or .wav. you can convert your MP3 file to .au file or .wav . Below are the instructions:

Convert mp3 file to .au file

- 1. Install digital audio editor GoldWave.
- Open the Goldwave and click "File"→"Open" and choose the original mp3 file. The Goldwave will open the file and you will see the wave like below:



3. Play the MP3 file. Choose which time period you like to generate the ring tone. You can see the time in the control panel. The ring tone file should be less than 256K (around 30s). for example, you can select the time period from:

 Start Time:
 00:01:54:00

 End Time:
 00:02:15:00

🛫 GoldVave 📃 🗆 🗙	🛋 🖬 🖬 🔲 🖾
Eile Edit Effect Yiew Tool Options Findow Help	
New Open Save Undo Redo Cut Copy Paste Pilev Mit Repi Del Tim Sel Ve Sal Al Set Al Set Prev In Out 11 Cues Eval COX Chain Help	
■ \$\$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	00:00:46.2 🟲 🖁
🛫 hotel california.mp3	
^{1.0}	
52 The second statement is a statement of the second statement of the second statement of the second statement is a second statement of the second	
oo waa ka k	Contraction of Alleria and a second
	a shift three at the interaction of the
25	the second s
100 with the first the spectral interaction statement is index that they are a full being their balleties at more that	
	-20 _27_25
	-00
00:00:00 00:00:30 00:01:00 00:01:30 00:02:00 00:02:30 00:03:30 00:03:30 00:04:00 00:04:30 00:05:30 00:05:30 00:06:00 00:06:30 00:01	-50
na na mana na mana na mana na mana ina ina na mana ina ina ina ina ina ina ina ina ina	-60 _ <u>84 _⁶¹ _00</u>
Stereo 🗉 7:12.118 🗉 0.000 to 7:12.118 (7:12.118) 🖬 4 : Unicensed Usage	
Plays using green button settings	
Unicensed version. Please click here to buy a license.	-100 16 32 64 129 258 517 1k 2k 4k 8k 16k

4. Set Marker for time section.

🛫 Gold Tave							
<u>F</u> ile <u>E</u> dit Effe <u>c</u> t <u>V</u> iew <u>T</u> ool <u>Options Window H</u> elp							
New Open Sive Undo Redo Cut Copy Paste P.Nev Mir. Rept Del Trim Sel Vy Sel All 🔀 All Sel Prov In Out 11 Cues Eval CDX Chain Help							
: 🔫 🎎 것 🗱 🚥 🖉 🖉 🌩 援 匪 🕃 누 🕏	[]] [2] 22 22 22 22 22 22 22 22 22 22 22 22 2						
🗙 hotel california.mp3							
1.0 0.5 1	Set larkor Ime based position K Start: 00:01:54.00000 K						
	Finish: 00:02:15.00000 Cancel Sample based position Help						
1.0 8.5	Start: 0						
	Mone ○ <u>Mone </u> ○ <u>C</u>D sector (2352 bytes/588 samples) ○ <u>I</u> kilosample (1024 samples) □ kilosample (1024 samples) □ kilosample (1024 samples) 						
00:00:00 00:00:30 00:01:00 00:01:30 00:02:00	00:02:30 00:03:00 00:03:30 00:04:00 00:04:30 00:05:00 00:05:30 00:06:00 00:06:30 00:0						
00:00:00 00:00:30 00:01:00 00:01:30 00:02:00	"00:02:30" "00:03:30" "00:03:30" "00:04:00" "00:04:30" "00:05:00" "00:05:30" "00:06:30" "00:06:30" "00:07						
Stereo Image: Trilling and the state s							
Unlicensed version. Please click here to buy a license.							

5. Trim the sound file to remove the unwanted part.



6. Save the time section to ring tone file. The file name should be ring.au

Save Sound	Ås		k		? 🔀
保存在 (L):	🚞 KuGou		· · · · · · · · · · · · · · · · · · ·	۰ 对 🍕	
 表最近的文档 みしかう 泉面 みの文档 我的文档 政的文档 政的文档 政の文档 の上級属 	 □ Temp □ 丽江之歌 □ 尼泊尔 □ 清晨的布达拉 □ 李马拉雅 □ 小娟 □ 平玛 ○ 01. su 	Ê			
	文件名 (J): 保存类型 (T):	ring Sun (*. au)		~	保存(S) 取消
	Attributes:	Java/Web, µ-Law, 8000 Hz	, 64 kbps, mono		 • •

7. Download the Ring_Generator from ATCOM website. and put the ring.au file in the Ring_Generator directory.

CRing_Generator	
; 文件 (E) 编辑 (E) 查看 (V) 收藏 (A) 工具 (E) 帮助 (H)	🥂
🕞 后退 🔹 🌍 🚽 🏂 🔎 搜索 🌔 文件夹 🛄 👻 🔞 Folder Sync	
: 地址 @) 🔁 C:\Documents and Settings\edwin\桌面\Ring_Generator\Ring_Generator	💉 🄁 转到
文件和文件夹任务 👻 📑 erk. exe 🚺 bazh. exe	cat. exe
其它位置 😵 🙀 cygb 12-1. dll 🅎 cygi conv-2. dll	cygintl-3. dll
cygintl-8. dll 🕎 cygncurses-8. d	11 cygreadline6. dll
cygwini dll 1005.23.0.0 Cygwin© POSIX Em	gawk. exe
ls. exe printf. exe	ringGen.bat MS-DOS 批处理文件 1 KB
Ingen bat. bak BAL 2014 1 KB	touch. exe
ring. su 💽 01. su	
20 个对象(可用磁盘空间: 1.63 GB)	10.7 MB 😏 我的电脑

8. Run **ringGen.bat** and it will generate the 01.au file. This is for the first ring tone. You can rename it to 02.au for the second ring tone etc.

9. Upload the ring tone to the AT-620.

🕑 VOIP - Mozill	a Firefox								- 7 X
文件(2) 编辑(2)	查看(V) 历史(S	5) 书签(18) 工具	(1) 帮助(1)						
🔇 🔊 - C	× 🏠 🗋	http://192.168.1.	25/					☆ - Google	P
📄 访问最多 ף 新手	上路 脑 最新头翁	Ř							
Google winline	🔺 😽 搜索	••	🎥・ 🗹 ・ 🧔 ・ 🏠 书签・	📼 ・ 💞 拼写检查 ・	🎫 翻译 🔹 📔 自动	填充 · 🥖 🖳 wini	line		🔩 🔹 🚺 edwin*
VOIP		🛛 🗷 GoldWay	ve 5.55 下载 - 华军软件园	🖂 🛃 Cool Edit	Pro 2.0 英文版 - Goo	6… 🖂 🙎 音频录放	这及编辑专业工具 C。	olEdit 🖂 🕂	-
	文件上载				2 🛛				
	查找范围(<u>t</u>):	🗀 Ring_Generat	or	🖌 🕝 🤌 📂 🛄-					
ATCO	我最近的文档	01. au an an exe bash. exe cat. exe	 ring. au ringGen. bat ringGen. bat. bak ringGen. sh 		<u>ge</u>	Update <u>System</u>	<u>Manage</u>		
• Web Upda • ETP/TETP • Auto Prov	 重 重 表的文档 受 表的文档 受 表的文档 人の文档 	y cybi22-1. dll G vybi22-1. dll G vypicow2-2. dll G vypicow2-2. dll G vypicow2-2. dll G vypicow2-3. dlll G vypicow2-3. dll G vypicow2-3.	Fingesh in Fouch exe all all all が成立件	× ×	unen Pewal 取為	s and Sett ())))) Update reboot when update fir	(* z or * 1xt) istN	Web Update	
完成									

10. Select the Ring Tone.

ATCOM	Current Status Network VOIP Advanced Dial	IP PI	NONE	l <u>ate</u> System Mana	<u>ae</u>	
• <u>DHCP Server</u> • <u>NAT</u> • <u>Net Service</u>					Audio Settings	
 <u>Firewall</u> <u>QoS</u> 	DSP Configuration	Type 1 Type 2				
Digital Map STUN	First Codec	Type 3	i4k 💌	Second Codec	g711Alaw64k 💌	
Call Service	Third Codec	Type 5	~	Fourth Codec	g723 💌	
MMI Filter Audio Settings	Fifth Codec	Type 6 Type 7	4k 💌	Handdown Time	200 ms	
• VPN	Input Volume	Type 8 Type 9	(1-9)	Output Volume	9 (1-9)	
	Handfree Volume	User 1	(1-9)	Ring Volume	5 (1-9)	
	G729 Payload Length	User 1x6 User 3		Signal Standard	China 💌	
	G722 Timestamps	User 4 User 5	~	G723 Bit Rate	6.3kb/s 💌	
	Default Ring Type	Type 1 🔽		VAD		
			AP	PLY		